

# CRYSTAL CLEAR POOLS

*Swimming Pools, Spas, and Accessories!*

911 E. MacArthur Street . Suite 100 . Shawnee, OK 74804 Phone 405.214.7665  
 Email: Support@crystalclearpoolsok.com Website www.crystalclearpoolsok.com

## How To Adjust Calcium Hardness

### Adjusting Calcium Hardness Levels

Adjusting the Calcium Hardness is something that should be done carefully. The Calcium Hardness can be increased by the addition of Calcium Chloride.

It is important to dissolve the Calcium Chloride in a bucket of water before adding to the pool. If you just pour it into the pool without pre-dissolving, it may form scale on the pool surface.

### To Raise the Calcium Hardness Level

Check the chart to see how much Calcium Chloride is needed to raise the CH level as desired.

To increase Calcium Hardness using Calcium Chloride

	Gallonage of pool or spa					
	5,000	10,000	15,000	20,000	25,000	30,000
10	¾ lbs	1 ¼ lbs	2 lbs	2 ½ lbs	3 ¾ lbs	4 ½ lbs
20	1 ¼ lbs	2 ½ lbs	3 ¾ lbs	5 lbs	7 ½ lbs	9 ¼ lbs
30	1 ¾ lbs	3 ¾ lbs	5 lbs	7 ½ lbs	11 ¼ lbs	13 ½ lbs
40	2 ½ lbs	5 lbs	7 ½ lbs	10 lbs	15 lbs	18 ¾ lbs
50	3 lbs	6 ¼ lbs	9 ½ lbs	12 ½ lbs	18 ¾ lbs	24 ¼ lbs

Desired PPM Increase

*\*Note: Do not add more than 10 lbs per 10,000 gallons of water at one time. If the pool requires more than this, add the maximum amount then retest 12 hours later and make further adjustments.*

### Adding Calcium Chloride to a Pool

Slurry or pre-dissolve and dilute the Calcium Chloride in a bucket of water and pour the dissolved solution into the pool with pump running. Brush pool thoroughly to stir up any undissolved material that may land on the bottom.

If you have questions you can call us during normal business hours. 405-214-7665  
 E-MAIL: Support@crystalclearpoolsok.com

Don't forget to spread the word, WE PRICE MATCH WalMart and Amazon prices and have an equal or better product!

***We thank you for your support of your local store !!!***